



VISWAAT CHEMICALS LTD

ISO 9001 : 2015, ISO 14001:2015 &
ISO 45001:2018

Plot No N-1 Additional MIDC Ambarnath, Anand Nagar,
Ambarnath (East) – 421506 District Thane Maharashtra India.

ANALYTICAL TEST REPORT

Date : 22-12-24

Ref. : BP

Product Name : VICORYL CS 20

Party Name :

Batch No : A241112785

Date of Mfg : 12-11-24

Expiry Date : 11-11-26

Page No : 1 / 1

PARAMETER	UNIT	SPECIFICATIONS	RESULT
Appearance	Visual	Waxy flakes	PASSES
Colour	Visual	White to creamy	PASSES
Moisture content	%	Between 0 and 1	0.190
Acid value	mgKOH/g	Between 0 and 0.50	0.041
Hydroxyl value	mgKOH/g	Between 40 and 52.50	46.800
Saponification value	mgKOH/g	Between 0 and 1	0.540
Refractive index @ 60°C	---	Between 1.448 and 1.452	1.448
Melting point	°C	Not less than 38	41
Alkalinity (0.1 M HCl / 2.0 sample)	ml	Between 0 and 0.50	0.040

MATERIAL CONFORMS WITH ABOVE SPECIFICATIONS

Analysed By

Chemist (QC)

Approved By

Manager (QC)