

**UMEDICA LABORATORIES PVT LTD**

Head Office : Jamnalal Bajaj Road, Nariman Point Mumbai-400021,MH,India

Ph.: +91-2262455050

PO Number : 3100016181**PO Date** : 24/07/2025**Incoterms** :

Factory : PLOT NO 221, 221/1, IInd Phase, GIDC, Vapi-396195

Ph.: +912602400193 , Email : factory@umedicalabs.com

Purchase Order**SUPPLIER DETAILS : 8100750****Novo Excipients Pvt. Ltd.**,5/C, Shree Laxmi Industrial Estate,, New Link Road, Andheri (W), ,
Mumbai,
Maharashtra,Pin:400053**State Code** : 27
Tel No : 022-26330365
Email : amruta@novoexcipients.com
GST No. : 27AACCC3785B1ZU
PAN No. : AACCC3785B**Manufactured By : 8700858****Novo Excipients Pvt Ltd**A-374 TTC Industrial area Mahape,
Navi Mumbai Maharashtra PIN: 400053.**State Code** : 27
Tel No : 22-35134259
Email : sec@novoexcipients.com
GST No. : 27AACCC3785B1ZU
PAN No. : AACCC3785B**Billing Address:**Umedica Laboratories Pvt Ltd, PLOT NO 221, 221/1, IInd Phase, GIDC,
Vapi Gujarat PIN: 396195.**State Code:- 24** **GST No:-** 24AAACU2966Q1ZS**Place Of Supply:- Gujarat** **PAN No:-** AAACU2966Q**Delivery Address:**Umedica Laboratories Pvt Ltd, PLOT NO 221, 221/1, IInd Phase, GIDC,
Vapi Gujarat PIN: 396195.**State Code:- 24** **GST No:-** 24AAACU2966Q1ZS**Place Of Supply:- Gujarat**

SR No	Material No	Material Description	HSN Code	Delivery Date	Quantity	UoM	Rate/Unit	Amount (INR)	IGST Rate(%)	IGST Amount	CGST Rate(%)	CGST Amount	SGST Rate(%)	SGST Amount
1	101543	NOVOMIX GEN II 45014 GREEN	32050000	10/08/2025	15.000	KG	1,314.00	19,710.00	18	3,547.80				
2	101545	NOVOMIX GEN II 25030 BLUE	32050000	10/08/2025	15.000	KG	1,336.00	20,040.00	18	3,607.20				

Basic Amount	39,750.00
Basic Custom Duty :	0.00
Social welfare surcharge :	0.00
IGST Amount	7,155.00
Gross Amount	46,905.00

Amount in Words: Rupees Forty Six Thousand Nine Hundred Five Only

Payment Terms	60 Days from Receipt of materi
Terms and Conditions	Material should be from Approved site only as mentioned in the PO COA should be always sent along with the consignment. Material should be of recent manufactured batch with minimum Shelf life of 90% at the time of supply. Material should be from single batch or in multiples of batch size.

For UMEDICA LABORATORIES PVT LTDVAISHALI LONDHE
Prepared byRashmi Rasam
Checked byRupesh Kamdar
Approved by